



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,189	01/21/2004	Kia Silverbrook	MPA24US	2155
24011 7590 01/16/2009 SILVERBROOK RESEARCH PTY LTD 393 DARLING STREET BALMAIN, 2041 AUSTRALIA				
EXAMINER NGUYEN, LAM S				
ART UNIT 2853		PAPER NUMBER		
MAIL DATE 01/16/2009		DELIVERY MODE PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/760,189

Applicant(s)

SILVERBROOK ET AL.

Examiner

LAM S. NGUYEN

Art Unit

2853

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SF/ICE)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(c), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(c) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/15/08 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. (US 6612240) in view of McEfresh et al. (US 6843552).

Silverbrook et al. ('240) discloses a printhead assembly (*FIG. 14: Each printhead assembly comprises a PCB (108 or 110) and a printhead module including elements 104.1 and 106.1 (or 104.2 and 106.2)*), comprising:

at least one printhead module comprising at least two printhead integrated circuits (*FIG. 14: One printhead module comprising two printhead integrated circuits 106.1 and 104.1*), each of which has nozzles formed therein for delivering printing fluid onto the surface of print media (*column 6, lines 22-30*) being fed along a media feed path past the printhead assembly in a

media feed direction (*FIG. 9: The feeding direction of print media is the one that is perpendicular/transverse to the longitudinal direction of the printhead assembly 54*), a support member supporting and carrying the printing fluid for the at least two printhead integrated circuits (*FIG. 14, element 120: The fluid carrier 120 carries fluid along the length of the printheads*), and an electrical connector for connecting electrical signals to the at least two printhead integrated circuits (*FIG. 14: Conductors 116 connects the printheads to the PCB 108 or 110*); and

a plurality of longitudinally extending electrical conductors for providing power to the at least two printhead integrated circuits (*FIG. 14, elements 124 and 122*), the plurality of electrical conductors extending transverse to the media feed direction and being arranged as first and second groups of electrical conductors, the first and second groups of electrical conductors having combined lengths at least equal to the media feed path length, the first group extending from one end of the printhead assembly to a region intermediate the ends of the printhead assembly (*FIG. 14: The first electrical conductors are the cable 122 extending from the connector 124 (located at the left end of the assembly) to the connector located at the intermediate region of the assembly. In other words, the electrical conductors extend along the longitudinal direction of the printhead assembly that is transverse to the media feeding direction*), and the second group extending from the other end to connect to the first group at the region intermediate the ends of the printhead assembly (*FIG. 14: The second electrical conductors are the cable 122 extending from the connector located at the intermediate connector to the connector located at the right end of the assembly. Since the combined length of the first*

and second electrical conductors is about the length of the printhead assembly, the combined length of the first and second electrical conductors is about the length of the fed media).

Silverbrook et al. ('240), however, does not teach wherein the first and second groups of electrical conductors are connected to first and second power supplies, respectively, to supply power in parallel from both ends of the printhead assembly, wherein the first power supply being provided at a first end of the printhead assembly, and the second power supply being provided at a second end of the printhead assembly opposite to the first end.

McEfresh et al. discloses an ink jet head assembly comprising a plurality of printhead integrated circuits (*FIG. 5*) and first and second groups of electrical conductors (*FIG. 5, elements 74, 74'*), wherein the first and second groups of electrical conductors are connected to a first and second power supplies provided as opposited ends of the head assembly, respectively, to supply power in parallel from both ends of the printhead assembly (*FIG. 5: The first end and the second end are 72 and 72', respectively*).

Therefore, it would have been obvious for one having ordinary skill in the art at the time the invention was made to modify Silverbrook's printhead assembly to provide power from two ends of the printhead assembly to the printhead integrated circuits as disclosed by McEfresh et al. The motivation for doing so would have been to provide power in parallel from both ends of the printhead assembly to the printhead integrated circuits as taught by McEfresh et al. (*FIG. 5*).

- **Silverbrook et al. ('240) also discloses the following claimed invention:**

Regarding to claim 2: further comprising a casing in which the at least one printhead module and the plurality of electrical conductors are removably mounted (*FIG. 9, element 56*).

Regarding to claim 3: further comprising drive electronics incorporating at least one controller (*FIG. 14, elements 126*) for controlling the printing operation of at least one of the at least two printhead integrated circuits via the electrical connector (*FIG. 14, elements 116*), wherein power is provided to the drive electronics by the electrical conductors via the electrical connector.

Regarding to claim 4: wherein the first group of electrical conductors and the second group of electrical conductors overlap each other in the intermediate the ends of the printhead assembly (*FIG. 14, element 122*).

Regarding to claim 5: wherein the at least one printhead module is formed as a unitary arrangement of the at least two printhead integrated circuits, the support member, the electrical connector, and at least one fluid distribution member mounting the at least two printhead integrated circuits to the support member; and the support member has at least one longitudinally extending channel for carrying the printing fluid for the printhead integrated circuits and includes a plurality of apertures extending through a wall of the support member arranged so as to direct the printing fluid from the at least one channel to associated nozzles in both, or if more than two, all of the printhead integrated circuits by way of respective ones of the fluid distribution members (*FIG. 11, element 136*).

Response to Arguments

Applicant's arguments filed 12/15/2008 have been fully considered but they are not persuasive.

The Applicant argued that Silverbrook et al. and McElfresh et al. did not teach or suggest the conductors provided from both ends of the printhead assembly and connected to each other

intermediate the ends of the assembly. In supported for such assertion, the Applicant assumed that the USB port 124 and the serial cable 122 are used for only transferring data. It is the Examiner's point of view that the USB port and the serial cable however can also be used to deliver power supply. As a result, the modification of Silverbrook, in view of McElfresh, would result of supplying data at one end of the printhead assembly, and supplying power at two ends of the assembly.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAM S. NGUYEN whose telephone number is (571)272-2151. The examiner can normally be reached on 7:00AM - 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, STEPHEN D. MEIER can be reached on (571)272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Art Unit: 2853

like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LAM S NGUYEN/

Primary Examiner, Art Unit 2853

Application/Control Number: 10/760,189
Art Unit: 2853

Page 8